



from MapTools.com/declination
 Free Customized Declination Reference Sheet
 N 39.8° W 98.6° North Refs: Up=T, Plot=G, Compass=M



Example of Plotting or Measuring Bearings on the Map
 Using Grid North as the North Reference
 In this example the bearing is 70° Grid



- Rotate the compass dial so that 70° is at the index line.
- We're not using the magnetic needle in our compass.
- Instead we are aligning the parallel lines, in the compass capsule, with the Grid North reference lines on the map.

MapTools.com © 2026



B

B


Folding and cutting instructions

- #1 Turn the sheet over, fold in half on the dotted line, so the letter "A's" touch.
- #2 Fold the sheet in half again on the #2 fold line, so the letter "B's" touch.
- #3 Cut the sheet using the marks at the #3 cut line.
- #4 Cut the sheet using the marks at the #4 cut line.

#2 fold

Setting Up your Compass
 With a 0.0° Offset
 to Measure Relative
 to Magnetic North

MapTools.com © 2026



MapTools.com
 Tools for plotting coordinates
 Information for learning to be a better navigator

p4

MapTools.com/declination
 Custom Declination Reference Cards
 "everything you need to know about North References"

Tell a friend about...

#4 cut

#3 cut

Compass and Map Plotting use different north references. Conversion is required.

Compass (M) to Map (G)
 $\text{Grid} = \text{Compass (M)} + 3.5^\circ$

Map (G) to Compass (M)
 $\text{Compass (M)} = \text{Grid} - 3.5^\circ$

MapTools.com © 2026

Local Magnetic Anomalies

In some areas there may be significant localized magnetic fields typically caused by magnetic rock deposits such as iron ore or lava flows. 3-4 degrees of anomalous declination is common near these areas. In extreme cases a compass may be rendered useless.

It is a good idea to confirm the local declination by comparing compass sighted and map plotted bearings between two known points.

MapTools.com © 2026

